Contents lists available at ScienceDirect

Gait & Posture

journal homepage: www.elsevier.com/locate/gaitpost

Volume 28 (2008)

Author index

Aaslund, M.K., R. Moe-Nilssen, Treadmill walking with body weight support. Effect of treadmill, harness and body weight support systems **28**, 303
Abboud, R.J., see Ramanathan, A.K. **28**, 533
Alimusaj, M., see Wolf, S.I. **28**, 175
Al-Khabbaz, Y.S.S.M., T. Shimada, M. Hasegawa, The effect of backpack heaviness on trunk-lower extremity muscle activities and trunk posture **28**, 297
Allet, L., S. Armand, R.A. de Bie, A. Golay, D. Monnin, K. Aminian, E.D. de Bruin, Reliability of diabetic patients' gait parameters in a challenging environment **28**, 680
Alvarez, C., M. De Vera, H. Chhina, A. Black, Normative data for the dynamic pedobarographic profiles of children **28**, 309
Aminian, K., see Allet, L. **28**, 680
Aminian, K., see Coley, B. **28**, 581
André, J.-M., see Beyaert, C. **28**, 278
Andrysek, J., see Redekop, S. **28**, 627
Arand, M., see Dehner, C. **28**, 113
Armand, S., see Allet, L. **28**, 680
Arndt, A., see Lundgren, P. **28**, 93
Arnold, G.P., see Ramanathan, A.K. **28**, 533
Aruin, A.S., see Li, X. **28**, 538
Asahara, S., see Katsuhira, J. **28**, 258

Baltzopoulos, V., see Reeves, N.D. **28**, 327
Banse, X., see Mahaudens, P. **28**, 703
Barrett, R.S., see Mills, P.M. **28**, 101
Begg, R.K., see Sparrow, W.A. **28**, 563
Belgiovine, G., see Quagliarella, L. **28**, 699
Benedetti, M.G., see Ferrari, A. **28**, 207
Bennett, D., L. Humphreys, S. O'Brien, C. Kelly, J.F. Orr, D.E. Beverland, Gait kinematics of age-stratified hip replacement patients—A large scale, long-term follow-up study **28**, 194
Berthoz, A., see Cappa, P. **28**, 615
Bettinelli, D., see Ferrari, A. **28**, 207
Beverland, D.E., see Bennett, D. **28**, 194
Beyaert, C., C. Grumillier, N. Martinet, J. Paysant, J.-M. André, Compensatory mechanism involving the knee joint of the intact limb during gait in unilateral below-knee amputees **28**, 278
Bisiaux, M., P. Moretto, The effects of fatigue on plantar pressure distribution in walking **28**, 693
Black, A., see Alvarez, C. **28**, 309
Boerboom, A.L., M.R. Huizinga, W.A. Kaan, R.E. Stewart, A.L. Hof, S.K. Bulstra, R.L. Diercks, Validation of a method to measure the proprioception of the knee **28**, 610
Boisgontier, M., see Vuillerme, N. **28**, 521
Bollini, G., see Jacquemier, M. **28**, 187
Bosker, G., see Silverman, A.K. **28**, 602
Brandes, M., R. Schomaker, G. Möllenhoff, D. Rosenbaum, Quantity versus quality of gait and quality of life in patients with osteoarthritis **28**, 74
Broström, E., see Weiss, R.J. **28**, 229
Brumagne, S., L. Janssens, E. Janssens, L. Goddyn, Altered postural control in anticipation of postural instability in persons with recurrent low back pain **28**, 657
Brunner, R., T. Dreher, J. Romkes, C. Frigo, Effects of plantarflexion on pelvis and lower limb kinematics **28**, 150
Bulstra, S.K., see Boerboom, A.L. **28**, 610
Burns, J., see Crosbie, J. **28**, 545

Callaghan, J.P., see Gregory, D.E. **28**, 86
Camarota, G., see Troiano, A. **28**, 179
Campanini, I., see Galli, M. **28**, 80
Campos, T.F.d., see Pereira, H.M. **28**, 668
Cappa, P., F. Patanè, S. Rossi, M. Petrarca, E. Castelli, A. Berthoz, Effect of changing visual condition and frequency of horizontal oscillations on postural balance of standing healthy subjects **28**, 615
Cappozzo, A., see Picerno, P. **28**, 588
Cardoso, J.R., see Pereira, H.M. **28**, 668
Carmick, J., Letter—Regarding function of the triceps surae **28**, 347
Carvalho, W.d.S., see Filho, M.C.d.M. **28**, 316
Castelli, E., see Cappa, P. **28**, 615
Cereatti, A., see Picerno, P. **28**, 588
Chenu, O., see Vuillerme, N. **28**, 711
Cheze, L., see Dumas, R. **28**, 243
Chhina, H., see Alvarez, C. **28**, 309
Chihara, Y., see Ushio, M. **28**, 552
Chong, R.K.Y., Factor analysis of the functional limitations test in healthy individuals **28**, 144
Christopher Mason, R., see Ray, C.T. **28**, 58
Chuang, T.-Y., see Yang, Y.-R. **28**, 201
Cimolin, V., see Galli, M. **28**, 80
Cinelli, M.E., A.E. Patla, Locomotor avoidance behaviours during a visually guided task involving an approaching object **28**, 596
Cochrane, L., see Ramanathan, A.K. **28**, 533
Cohen, M., see Pereira, H.M. **28**, 668
Coley, B., B.M. Jolles, A. Farron, K. Aminian, Arm position during daily activity **28**, 581
Colné, P., M.L. Frelut, G. Pérès, P. Thoumie, Postural control in obese adolescents assessed by limits of stability and gait initiation **28**, 164
Cosgrove, A.P., see Molloy, M. **28**, 559
Crenna, P., see Ferrari, A. **28**, 207
Crétual, A., see Fusco, N. **28**, 663
Crivellini, M., see Galli, M. **28**, 80
Croce, R., see Ray, C.T. **28**, 58
Crosbie, J., J. Burns, R.A. Ouvrier, Pressure characteristics in painful pes cavus feet resulting from Charcot–Marie–Tooth disease **28**, 545

de Bie, R.A., see Allet, L. **28**, 680
de Bruin, E.D., see Allet, L. **28**, 680
de Guise, J., see Labbe, D.R. **28**, 170
De Vera, M., see Alvarez, C. **28**, 309
Dehner, C., B. Heym, D. Maier, S. Sander, M. Arand, M. Elbel, E. Hartwig, M. Kramer, Postural control deficit in acute QTF grade II whiplash injuries **28**, 113
Demongeot, J., see Vuillerme, N. **28**, 711
Detrembleur, C., see Mahaudens, P. **28**, 703
Dhaher, Y., see Keshner, E.A. **28**, 127

Contents lists available at ScienceDirect

Gait & Posture

journal homepage: www.elsevier.com/locate/gaitpost

Volume 28 (2008)

Author index

Aaslund, M.K., R. Moe-Nilssen, Treadmill walking with body weight support. Effect of treadmill, harness and body weight support systems **28**, 303
Abboud, R.J., see Ramanathan, A.K. **28**, 533
Alimusaj, M., see Wolf, S.I. **28**, 175
Al-Khabbaz, Y.S.S.M., T. Shimada, M. Hasegawa, The effect of backpack heaviness on trunk-lower extremity muscle activities and trunk posture **28**, 297
Allet, L., S. Armand, R.A. de Bie, A. Golay, D. Monnin, K. Aminian, E.D. de Bruin, Reliability of diabetic patients' gait parameters in a challenging environment **28**, 680
Alvarez, C., M. De Vera, H. Chhina, A. Black, Normative data for the dynamic pedobarographic profiles of children **28**, 309
Aminian, K., see Allet, L. **28**, 680
Aminian, K., see Coley, B. **28**, 581
André, J.-M., see Beyaert, C. **28**, 278
Andrysek, J., see Redekop, S. **28**, 627
Arand, M., see Dehner, C. **28**, 113
Armand, S., see Allet, L. **28**, 680
Arndt, A., see Lundgren, P. **28**, 93
Arnold, G.P., see Ramanathan, A.K. **28**, 533
Aruin, A.S., see Li, X. **28**, 538
Asahara, S., see Katsuhira, J. **28**, 258

Baltzopoulos, V., see Reeves, N.D. **28**, 327
Banse, X., see Mahaudens, P. **28**, 703
Barrett, R.S., see Mills, P.M. **28**, 101
Begg, R.K., see Sparrow, W.A. **28**, 563
Belgiovine, G., see Quagliarella, L. **28**, 699
Benedetti, M.G., see Ferrari, A. **28**, 207
Bennett, D., L. Humphreys, S. O'Brien, C. Kelly, J.F. Orr, D.E. Beverland, Gait kinematics of age-stratified hip replacement patients—A large scale, long-term follow-up study **28**, 194
Berthoz, A., see Cappa, P. **28**, 615
Bettinelli, D., see Ferrari, A. **28**, 207
Beverland, D.E., see Bennett, D. **28**, 194
Beyaert, C., C. Grumillier, N. Martinet, J. Paysant, J.-M. André, Compensatory mechanism involving the knee joint of the intact limb during gait in unilateral below-knee amputees **28**, 278
Bisiaux, M., P. Moretto, The effects of fatigue on plantar pressure distribution in walking **28**, 693
Black, A., see Alvarez, C. **28**, 309
Boerboom, A.L., M.R. Huizinga, W.A. Kaan, R.E. Stewart, A.L. Hof, S.K. Bulstra, R.L. Diercks, Validation of a method to measure the proprioception of the knee **28**, 610
Boisgontier, M., see Vuillerme, N. **28**, 521
Bollini, G., see Jacquemier, M. **28**, 187
Bosker, G., see Silverman, A.K. **28**, 602
Brandes, M., R. Schomaker, G. Möllenhoff, D. Rosenbaum, Quantity versus quality of gait and quality of life in patients with osteoarthritis **28**, 74
Broström, E., see Weiss, R.J. **28**, 229
Brumagne, S., L. Janssens, E. Janssens, L. Goddyn, Altered postural control in anticipation of postural instability in persons with recurrent low back pain **28**, 657
Brunner, R., T. Dreher, J. Romkes, C. Frigo, Effects of plantarflexion on pelvis and lower limb kinematics **28**, 150
Bulstra, S.K., see Boerboom, A.L. **28**, 610
Burns, J., see Crosbie, J. **28**, 545

Callaghan, J.P., see Gregory, D.E. **28**, 86
Camarota, G., see Troiano, A. **28**, 179
Campanini, I., see Galli, M. **28**, 80
Campos, T.F.d., see Pereira, H.M. **28**, 668
Cappa, P., F. Patanè, S. Rossi, M. Petrarca, E. Castelli, A. Berthoz, Effect of changing visual condition and frequency of horizontal oscillations on postural balance of standing healthy subjects **28**, 615
Cappozzo, A., see Picerno, P. **28**, 588
Cardoso, J.R., see Pereira, H.M. **28**, 668
Carmick, J., Letter—Regarding function of the triceps surae **28**, 347
Carvalho, W.d.S., see Filho, M.C.d.M. **28**, 316
Castelli, E., see Cappa, P. **28**, 615
Cereatti, A., see Picerno, P. **28**, 588
Chenu, O., see Vuillerme, N. **28**, 711
Cheze, L., see Dumas, R. **28**, 243
Chhina, H., see Alvarez, C. **28**, 309
Chihara, Y., see Ushio, M. **28**, 552
Chong, R.K.Y., Factor analysis of the functional limitations test in healthy individuals **28**, 144
Christopher Mason, R., see Ray, C.T. **28**, 58
Chuang, T.-Y., see Yang, Y.-R. **28**, 201
Cimolin, V., see Galli, M. **28**, 80
Cinelli, M.E., A.E. Patla, Locomotor avoidance behaviours during a visually guided task involving an approaching object **28**, 596
Cochrane, L., see Ramanathan, A.K. **28**, 533
Cohen, M., see Pereira, H.M. **28**, 668
Coley, B., B.M. Jolles, A. Farron, K. Aminian, Arm position during daily activity **28**, 581
Colné, P., M.L. Frelut, G. Pérès, P. Thoumie, Postural control in obese adolescents assessed by limits of stability and gait initiation **28**, 164
Cosgrove, A.P., see Molloy, M. **28**, 559
Crenna, P., see Ferrari, A. **28**, 207
Crétual, A., see Fusco, N. **28**, 663
Crivellini, M., see Galli, M. **28**, 80
Croce, R., see Ray, C.T. **28**, 58
Crosbie, J., J. Burns, R.A. Ouvrier, Pressure characteristics in painful pes cavus feet resulting from Charcot–Marie–Tooth disease **28**, 545

de Bie, R.A., see Allet, L. **28**, 680
de Bruin, E.D., see Allet, L. **28**, 680
de Guise, J., see Labbe, D.R. **28**, 170
De Vera, M., see Alvarez, C. **28**, 309
Dehner, C., B. Heym, D. Maier, S. Sander, M. Arand, M. Elbel, E. Hartwig, M. Kramer, Postural control deficit in acute QTF grade II whiplash injuries **28**, 113
Demongeot, J., see Vuillerme, N. **28**, 711
Detrembleur, C., see Mahaudens, P. **28**, 703
Dhaher, Y., see Keshner, E.A. **28**, 127

Diercks, R.L., see Boerboom, A.L. **28**, 610
Döderlein, L., see Wolf, S.I. **28**, 175
Doherty, A., see Manor, B. **28**, 343
Dreher, T., see Brunner, R. **28**, 150
Dumas, R., L. Cheze, Hip and knee joints are more stabilized than driven during the stance phase of gait: An analysis of the 3D angle between joint moment and joint angular velocity **28**, 243

Elbel, M., see Dehner, C. **28**, 113

Farmer, S.E., G. Pearce, C. Stewart, Developing a technique to measure intra-limb coordination in gait: Applicable to children with cerebral palsy **28**, 217
Farron, A., see Coley, B. **28**, 581
Ferrari, A., M.G. Benedetti, E. Pavan, C. Frigo, D. Bettinelli, M. Rabuffetti, P. Crenna, A. Leardini, Quantitative comparison of five current protocols in gait analysis **28**, 207
Fey, N.P., see Silverman, A.K. **28**, 602
Filho, M.C.d.M., R. Yoshida, W.d.S. Carvalho, H.E. Stein, N.F. Novo, Are the recommendations from three-dimensional gait analysis associated with better postoperative outcomes in patients with cerebral palsy? **28**, 316
Findlow, A., J.Y. Goulermas, C. Nester, D. Howard, L.P.J. Kenney, Predicting lower limb joint kinematics using wearable motion sensors **28**, 120
Fleury, A., see Vuillerme, N. **28**, 711
Fransson, P.A., see Patel, M. **28**, 649
Frelut, M.L., see Colné, P. **28**, 164
Frigo, C., see Brunner, R. **28**, 150
Frigo, C., see Ferrari, A. **28**, 207
Fusco, N., A. Crétual, Instantaneous treadmill speed determination using subject's kinematic data **28**, 663

Galli, M., V. Cimolin, M. Crivellini, I. Campanini, Quantitative analysis of sit to stand movement: Experimental set-up definition and application to healthy and hemiplegic adults **28**, 80
Garcia, M.d.C., see Pereira, H.M. **28**, 668
Gautier, G., R. Thouvarecq, N. Vuillerme, Postural control and perceptive configuration: Influence of expertise in gymnastics **28**, 46
Gautier, G., see Leroy, D. **28**, 265
Genda, E., see Kanai, A. **28**, 52
Glard, Y., see Jacquemier, M. **28**, 187
Goddyn, L., see Brumagne, S. **28**, 657
Golay, A., see Allet, L. **28**, 680
Gomez, S., see Patel, M. **28**, 649
Goulermas, J.Y., see Findlow, A. **28**, 120
Gregory, D.E., J.P. Callaghan, Prolonged standing as a precursor for the development of low back discomfort: An investigation of possible mechanisms **28**, 86
Gresty, M.A., see Kerr, T.P. **28**, 108
Gröndal, L., see Weiss, R.J. **28**, 229
Grumillier, C., see Beyaert, C. **28**, 278

Hagemeister, N., see Labbe, D.R. **28**, 170
Halbertsma, J.P.K., see Vrieling, A.H. **28**, 222, 235
Halvorsen, K., see Harringe, M.L. **28**, 38
Harato, K., T. Nagura, H. Matsumoto, T. Otani, Y. Toyama, Y. Suda, A gait analysis of simulated knee flexion contracture to elucidate knee-spine syndrome **28**, 687
Harringe, M.L., K. Halvorsen, P. Renström, S. Werner, Postural control measured as the center of pressure excursion in young female gymnasts with low back pain or lower extremity injury **28**, 38
Hartwig, E., see Dehner, C. **28**, 113
Hasegawa, M., see Al-Khabbaz, Y.S.S.M. **28**, 297
Heneghan, P., see Pollock, R. **28**, 271
Heym, B., see Dehner, C. **28**, 113
Hillman, S.J., see Ong, A.M.L. **28**, 323
Hirai, Y., see Katsuhira, J. **28**, 258
Hof, A.L., see Boerboom, A.L. **28**, 610
Hof, A.L., see Vrieling, A.H. **28**, 222, 235
Horvat, M., see Ray, C.T. **28**, 58
Houck, J.R., J.M. Tome, D.A. Nawoczenski, Subtalar neutral position as an offset for a kinematic model of the foot during walking **28**, 29
Howard, D., see Findlow, A. **28**, 120
Hudson, D., A comparison of ultrasound to goniometric and inclinometer measurements of torsion in the tibia and femur **28**, 708
Huizinga, M.R., see Boerboom, A.L. **28**, 610
Humphreys, L., see Bennett, D. **28**, 194

Ikegami, T., see Katsuhira, J. **28**, 258
Ishihara, H., see Katsuhira, J. **28**, 258
Iwasaki, S., see Ushio, M. **28**, 552

Jacquemier, M., Y. Glard, V. Pomero, E. Viehweger, J.-L. Jouve, G. Bollini, Rotational profile of the lower limb in 1319 healthy children **28**, 187
Jämsä, T., see Kangas, M. **28**, 285
Janssens, E., see Brumagne, S. **28**, 657
Janssens, L., see Brumagne, S. **28**, 657
John, M.C., see Ramanathan, A.K. **28**, 533
Jolles, B.M., see Coley, B. **28**, 581
Jones, R., see Lundgren, P. **28**, 93
Jonkers, I., see Scheys, L. **28**, 640
Jouve, J.-L., see Jacquemier, M. **28**, 187

Kaan, W.A., see Boerboom, A.L. **28**, 610
Kaga, K., see Ushio, M. **28**, 552
Kanai, A., T. Kiyama, E. Genda, Y. Suzuki, Biomechanical investigation of ambulatory training in patients with acetabular dysplasia **28**, 52
Kangas, M., A. Konttila, P. Lindgren, I. Winblad, T. Jämsä, Comparison of low-complexity fall detection algorithms for body attached accelerometers **28**, 285
Kasahara, S., K. Miyamoto, M. Takahashi, M. Yamanaka, N. Takeda, Lumbar–pelvic coordination in the sitting position **28**, 251
Katsuhira, J., H. Sasaki, S. Asahara, T. Ikegami, H. Ishihara, T. Kikuchi, Y. Hirai, Y. Yamasaki, T. Wada, H. Maruyama, Comparison of low back joint moment using a dynamic 3D biomechanical model in different transferring tasks wearing low back belt **28**, 258
Kautz, S.A., see Neptune, R.R. **28**, 135
Kavanagh, J.J., H.B. Menz, Accelerometry: A technique for quantifying movement patterns during walking **28**, 1
Kelly, C., see Bennett, D. **28**, 194
Kenney, L.P.J., see Findlow, A. **28**, 120
Kerr, C., see Molloy, M. **28**, 559
Kerr, T.P., J.-P. Lin, M.A. Gresty, T. Morley, S.A. Robb, Spinal stability is improved by inducing a lumbar lordosis in boys with Duchenne Muscular Dystrophy: A pilot study **28**, 108
Keshner, E.A., Y. Dhaher, Characterizing head motion in three planes during combined visual and base of support disturbances in healthy and visually sensitive subjects **28**, 127
Kikuchi, T., see Katsuhira, J. **28**, 258
Kiyama, T., see Kanai, A. **28**, 52
Konttila, A., see Kangas, M. **28**, 285
Kramer, M., see Dehner, C. **28**, 113

Labbe, D.R., N. Hagemeister, M. Tremblay, J. de Guise, Reliability of a method for analyzing three-dimensional knee kinematics during gait **28**, 170
Laessoe, U., M. Voigt, Anticipatory postural control strategies related to predictive perturbations **28**, 62
Larsson, P., see Weiss, R.J. **28**, 229
Leardini, A., see Ferrari, A. **28**, 207
Leroy, D., R. Thouvarecq, G. Gautier, Postural organisation during cascade juggling: Influence of expertise **28**, 265
Li, L., see Manor, B. **28**, 343
Li, X., A.S. Aruin, Anticipatory postural adjustments in conditions of simulated reduced gravity **28**, 538
Liao, C.-F., S.-I. Lin, Effects of different movement strategies on forward reach distance **28**, 16
Lin, D., H. Seol, M.A. Nussbaum, M.L. Madigan, Reliability of COP-based postural sway measures and age-related differences **28**, 337
Lin, J.-P., see Kerr, T.P. **28**, 108
Lin, S.-I., see Liao, C.-F. **28**, 16
Lindgren, P., see Kangas, M. **28**, 285
Liu, A., see Lundgren, P. **28**, 93
Lockhart, T.E., see Parijat, P. **28**, 568
Lundberg, A., see Lundgren, P. **28**, 93

Lundgren, P., C. Nester, A. Liu, A. Arndt, R. Jones, A. Stacoff, P. Wolf, A. Lundberg, Invasive in vivo measurement of rear-, mid- and forefoot motion during walking **28**, 93
Lush, D., see Patel, M. **28**, 649

Mackey, A.H., N.S. Stott, S.E. Walt, Reliability and validity of an activity monitor (IDEEA) in the determination of temporal–spatial gait parameters in individuals with cerebral palsy **28**, 634
MacWilliams, B.A., A comparison of four functional methods to determine centers and axes of rotations **28**, 673
Madigan, M.L., see Lin, D. **28**, 337
Maganaris, C.N., see Reeves, N.D. **28**, 327
Mahaudens, P., X. Banse, C. Detrembleur, Effects of short-term brace wearing on the pendulum-like mechanism of walking in healthy subjects **28**, 703
Maier, D., see Dehner, C. **28**, 113
Manor, B., A. Doherty, L. Li, The reliability of physical performance measures in peripheral neuropathy **28**, 343
Martinet, N., see Beyaert, C. **28**, 278
Maruyama, H., see Katsuhira, J. **28**, 258
Matsumoto, H., see Harato, K. **28**, 687
McDowell, B.C., see Molloy, M. **28**, 559
Menger, J., see Veneman, J.F. **28**, 157
Menz, H.B., see Kavanagh, J.J. **28**, 1
Merletti, R., see Troiano, A. **28**, 179
Mesin, L., see Troiano, A. **28**, 179
Mills, P.M., R.S. Barrett, S. Morrison, Toe clearance variability during walking in young and elderly men **28**, 101
Milner, C.E., Interlimb asymmetry during walking following unilateral total knee arthroplasty **28**, 69
Miyamoto, K., see Kasahara, S. **28**, 251
Moe-Nilssen, R., see Aaslund, M.K. **28**, 303
Mohagheghi, A.A., see Reeves, N.D. **28**, 327
Möllenhoff, G., see Brandes, M. **28**, 74
Molloy, M., J. Salazar-Torres, C. Kerr, B.C. McDowell, A.P. Cosgrove, The effects of industry standard averaging and filtering techniques in kinematic gait analysis **28**, 559
Monnin, D., see Allet, L. **28**, 680
Moretto, P., see Bisiaux, M. **28**, 693
Morley, T., see Kerr, T.P. **28**, 108
Morrison, S., see Mills, P.M. **28**, 101
Murofushi, T., see Ushio, M. **28**, 552

Naddeo, F., see Troiano, A. **28**, 179
Nagura, T., see Harato, K. **28**, 687
Nawoczenski, D.A., see Houck, J.R. **28**, 29
Neptune, R.R., K. Sasaki, S.A. Kautz, The effect of walking speed on muscle function and mechanical energetics **28**, 135
Neptune, R.R., see Silverman, A.K. **28**, 602
Nester, C., see Findlow, A. **28**, 120
Nester, C., see Lundgren, P. **28**, 93
Novo, N.F., see Filho, M.C.d.M. **28**, 316
Nussbaum, M.A., see Lin, D. **28**, 337
Nutton, R.W., see van der Linden, M.L. **28**, 292

O'Brien, S., see Bennett, D. **28**, 194
Ong, A.M.L., S.J. Hillman, J.E. Robb, Reliability and validity of the Edinburgh Visual Gait Score for cerebral palsy when used by inexperienced observers **28**, 323
Orr, J.F., see Bennett, D. **28**, 194
Otani, T., see Harato, K. **28**, 687
Otten, E., see Vrieling, A.H. **28**, 222, 235
Ouvrier, R.A., see Crosbie, J. **28**, 545

Palmblad, K., see Weiss, R.J. **28**, 229
Parijat, P., T.E. Lockhart, Effects of quadriceps fatigue on the biomechanics of gait and slip propensity **28**, 568
Parker, S., see Sparrow, W.A. **28**, 563
Patanè, F., see Cappa, P. **28**, 615
Patel, M., P.A. Fransson, D. Lush, S. Gomez, The effect of foam surface properties on postural stability assessment while standing **28**, 649
Patla, A.E., see Cinelli, M.E. **28**, 596
Pavan, E., see Ferrari, A. **28**, 207
Pavan, P., see Vuillerme, N. **28**, 711
Payan, Y., see Vuillerme, N. **28**, 711
Paysant, J., see Beyaert, C. **28**, 278
Pearce, G., see Farmer, S.E. **28**, 217
Pereira, H.M., T.F.d. Campos, M.B. Santos, J.R. Cardoso, M.d.C. Garcia, M. Cohen, Influence of knee position on the postural stability index registered by the Biodex Stability System **28**, 668
Pérès, G., see Colné, P. **28**, 164
Petrarca, M., see Cappa, P. **28**, 615
Picerno, P., A. Cereatti, A. Cappozzo, Joint kinematics estimate using wearable inertial and magnetic sensing modules **28**, 588
Pinsault, N., see Vuillerme, N. **28**, 711
Pollock, R., P. Heneghan, P.E. Riches, Under-arm partial body weight unloading causes spinal elongation and vibration attenuation during treadmill walking **28**, 271
Pomero, V., see Jacquemier, M. **28**, 187
Portillo, A., see Silverman, A.K. **28**, 602
Postans, N., see Stewart, C. **28**, 349
Postema, K., see Vrieling, A.H. **28**, 222, 235

Quagliarella, L., N. Sasanelli, G. Belgiovine, An interactive fall and loss of consciousness detector system **28**, 699

Rabuffetti, M., see Ferrari, A. **28**, 207
Ramanathan, A.K., M.C. John, G.P. Arnold, L. Cochrane, R.J. Abboud, The effects of off-the-shelf in-shoe heel inserts on forefoot plantar pressure **28**, 533
Ray, C.T., M. Horvat, R. Croce, R. Christopher Mason, S.L. Wolf, The impact of vision loss on postural stability and balance strategies in individuals with profound vision loss **28**, 58
Redekop, S., J. Andrysek, V. Wright, Single-session reliability of discrete gait parameters in ambulatory children with cerebral palsy based on GMFCS level **28**, 627
Reeves, N.D., M. Spanjaard, A.A. Mohagheghi, V. Baltzopoulos, C.N. Maganaris, Influence of light handrail use on the biomechanics of stair negotiation in old age **28**, 327
Renström, P., see Harringe, M.L. **28**, 38
Rettig, O., see Wolf, S.I. **28**, 175
Riches, P.E., see Pollock, R. **28**, 271
Robb, J.E., see Ong, A.M.L. **28**, 323
Robb, S.A., see Kerr, T.P. **28**, 108
Roberts, A., see Stewart, C. **28**, 349
Romkes, J., see Brunner, R. **28**, 150
Rosenbaum, D., see Brandes, M. **28**, 74
Rossi, S., see Cappa, P. **28**, 615
Rowe, P.J., see van der Linden, M.L. **28**, 292
Rozumalski, A., see Stewart, C. **28**, 349

Salazar-Torres, J., see Molloy, M. **28**, 559
Sander, S., see Dehner, C. **28**, 113
Santos, M.B., see Pereira, H.M. **28**, 668
Sasaki, H., see Katsuhira, J. **28**, 258
Sasaki, K., see Neptune, R.R. **28**, 135
Sasanelli, N., see Quagliarella, L. **28**, 699
Scheys, L., A. Spaepen, P. Suetens, I. Jonkers, Calculated moment-arm and muscle-tendon lengths during gait differ substantially using MR based versus rescaled generic lower-limb musculoskeletal models **28**, 640
Schomaker, R., see Brandes, M. **28**, 74
Schoppen, T., see Vrieling, A.H. **28**, 222, 235
Schwartz, M.H., see Stewart, C. **28**, 349
Seeley, M.K., B.R. Umberger, R. Shapiro, A test of the functional asymmetry hypothesis in walking **28**, 24
Seol, H., see Lin, D. **28**, 337
Shapiro, R., see Seeley, M.K. **28**, 24
Shimada, T., see Al-Khabbaz, Y.S.S.M. **28**, 297
Silverman, A.K., N.P. Fey, A. Portillo, J.G. Walden, G. Bosker, R.R. Neptune, Compensatory mechanisms in below-knee amputee gait in response to increasing steady-state walking speeds **28**, 602
Smith, B.A., B.D. Ulrich, Early onset of stabilizing strategies for gait and obstacles: Older adults with Down syndrome **28**, 448
Sosso, E., see Troiano, A. **28**, 179

Spaepen, A., see Scheys, L. **28**, 640
Spanjaard, M., see Reeves, N.D. **28**, 327
Sparrow, W.A., R.K. Begg, S. Parker, Variability in the foot-ground clearance and step timing of young and older men during single-task and dual-task treadmill walking **28**, 563
Stacoff, A., see Lundgren, P. **28**, 93
Stark, A., see Weiss, R.J. **28**, 229
Stein, H.E., see Filho, M.C.d.M. **28**, 316
Stewart, C., N. Postans, M.H. Schwartz, A. Rozumalski, A. Roberts **28**, 349
Stewart, C., see Farmer, S.E. **28**, 217
Stewart, R.E., see Boerboom, A.L. **28**, 610
Stott, N.S., see Mackey, A.H. **28**, 634
Suda, Y., see Harato, K. **28**, 687
Suetens, P., see Scheys, L. **28**, 640
Sung, W.-H., see Yang, Y.-R. **28**, 201
Suzuki, Y., see Kanai, A. **28**, 52

Takahashi, M., see Kasahara, S. **28**, 251
Takeda, N., see Kasahara, S. **28**, 251
Thoumie, P., see Colné, P. **28**, 164
Thouvarecq, R., see Gautier, G. **28**, 46
Thouvarecq, R., see Leroy, D. **28**, 265
Tome, J.M., see Houck, J.R. **28**, 29
Toyama, Y., see Harato, K. **28**, 687
Tremblay, M., see Labbe, D.R. **28**, 170
Troiano, A., F. Naddeo, E. Sosso, G. Camarota, R. Merletti, L. Mesin, Assessment of force and fatigue in isometric contractions of the upper trapezius muscle by surface EMG signal and perceived exertion scale **28**, 179
Tsai, M.-P., see Yang, Y.-R. **28**, 201
Turner, D.E., J. Woodburn, Characterising the clinical and biomechanical features of severely deformed feet in rheumatoid arthritis **28**, 574

Ulrich, B.D., see Smith, B.A. **28**, 448
Umberger, B.R., see Seeley, M.K. **28**, 24
Ushio, M., T. Murofushi, Y. Chihara, S. Iwasaki, T. Yamaguchi, K. Kaga, Testing of vibratory thresholds as a clinical examination for patients with unsteadiness due to somatosensory disorders **28**, 552

van Asseldonk, E.H.F., see Veneman, J.F. **28**, 157
van der Helm, F.C.T., see Veneman, J.F. **28**, 157
van der Kooij, H., see Veneman, J.F. **28**, 157
van der Linden, M.L., P.J. Rowe, R.W. Nutton, Between-day repeatability of knee kinematics during functional tasks recorded using flexible electrogoniometry **28**, 292
van Keeken, H.G., see Vrieling, A.H. **28**, 222, 235
Veneman, J.F., J. Menger, E.H.F. van Asseldonk, F.C.T. van der Helm, H. van der Kooij, Fixating the pelvis in the horizontal plane affects gait characteristics **28**, 157
Viehweger, E., see Jacquemier, M. **28**, 187
Voigt, M., see Laessoe, U. **28**, 62
Vrieling, A.H., H.G. van Keeken, T. Schoppen, E. Otten, A.L. Hof, J.P.K. Halbertsma, K. Postema, Balance control on a moving platform in unilateral lower limb amputees **28**, 222
Vrieling, A.H., H.G. van Keeken, T. Schoppen, E. Otten, J.P.K. Halbertsma, A.L. Hof, K. Postema, Uphill and downhill walking in unilateral lower limb amputees **28**, 235
Vuillerme, N., M. Boisgontier, Muscle fatigue degrades force sense at the ankle joint **28**, 521
Vuillerme, N., N. Pinsault, A. Fleury, O. Chenu, J. Demongeot, Y. Payan, P. Pavan, Effectiveness of an electro-tactile vestibular substitution system in improving upright postural control in unilateral vestibular-defective patients **28**, 711
Vuillerme, N., see Gautier, G. **28**, 46

Wada, T., see Katsuhira, J. **28**, 258
Walden, J.G., see Silverman, A.K. **28**, 602
Walt, S.E., see Mackey, A.H. **28**, 634
Wang, R.-Y., see Yang, Y.-R. **28**, 201
Weiss, R.J., P. Wretenberg, A. Stark, K. Palmblad, P. Larsson, L. Gröndal, E. Broström, Gait pattern in rheumatoid arthritis **28**, 229
Werner, S., see Harringe, M.L. **28**, 38
Winblad, I., see Kangas, M. **28**, 285
Wolf, P., see Lundgren, P. **28**, 93
Wolf, S.I., M. Alimusaj, O. Rettig, L. Döderlein, Dynamic assist by carbon fiber spring AFOs for patients with myelomeningocele **28**, 175
Wolf, S.L., see Ray, C.T. **28**, 58
Woodburn, J., see Turner, D.E. **28**, 574
Wretenberg, P., see Weiss, R.J. **28**, 229
Wright, V., see Redekop, S. **28**, 627

Yamaguchi, T., see Ushio, M. **28**, 552
Yamanaka, M., see Kasahara, S. **28**, 251
Yamasaki, Y., see Katsuhira, J. **28**, 258
Yang, Y.-R., M.-P. Tsai, T.-Y. Chuang, W.-H. Sung, R.-Y. Wang, Virtual reality-based training improves community ambulation in individuals with stroke: A randomized controlled trial **28**, 201
Yoshida, R., see Filho, M.C.d.M. **28**, 316

Contents lists available at ScienceDirect

Gait & Posture

journal homepage: www.elsevier.com/locate/gaitpost

Volume 28 (2008)

Subject index

Able-bodied gait; Bilateral asymmetry; Impulse **28**, 24

Acceleration; Locomotion; Posture; Stability **28**, 1

Accelerometer; Falls; Loss of consciousness; Elderly; ADL **28**, 699

Accelerometers and gyroscopes; Outcome evaluation; Upper-limbs activity; Ambulatory system **28**, 581

Accelerometers; Gait; Cerebral palsy **28**, 634

Accelerometry; Treadmill; Body weight support; Gait **28**, 303

Accuracy; Center of rotation; Axis of rotation; Joint center; Gait analysis **28**, 673

Acetabular dysplasia; Ambulatory training; Hip joint moment **28**, 52

Acute whiplash; Postural control; Neck proprioception; Neck pain **28**, 113

ADL; Falls; Loss of consciousness; Accelerometer; Elderly **28**, 699

Adolescent; Gait initiation; Postural stability; Obesity; Locomotion **28**, 164

AFO; Spina Bifida; Gait analysis; Carbon fiber spring; Orthosis **28**, 175

Ageing; Minimum toe clearance; Kinematics; Joint angles; Gait **28**, 101

Ageing; Reaction time; Attention; Dual task; Treadmill walking; Foot-ground clearance **28**, 563

Aging; Center of pressure; Postural control; Reliability **28**, 337

Algorithm; Belt speed; Treadmill; Kinematic data; Gait events **28**, 663

Ambulatory system; Outcome evaluation; Accelerometers and gyroscopes; Upper-limbs activity **28**, 581

Ambulatory training; Acetabular dysplasia; Hip joint moment **28**, 52

Amputees; Dynamic balance; Rehabilitation; Centre of pressure **28**, 222

Amputees; Gait; Rehabilitation; Prosthetics **28**, 235

Anatomical calibration; Movement analysis; Anatomical frame definition; Joint angular kinematics; Wearable devices; Inertial and magnetic sensing **28**, 588

Anatomical frame definition; Movement analysis; Anatomical calibration; Joint angular kinematics; Wearable devices; Inertial and magnetic sensing **28**, 588

Ankle; Proprioception; Muscle fatigue; Force matching **28**, 521

Anterior cruciate ligament; Proprioception; Knee; Threshold to detect passive motion **28**, 610

Anticipatory postural adjustments; Simulated gravity; Body mass; Human **28**, 538

APA; Posture; Cascade juggling; Facilitation; Variability **28**, 265

Approaching object; Collision avoidance; Human locomotion; Visually guided **28**, 596

Attention; Ageing; Reaction time; Dual task; Treadmill walking; Foot-ground clearance **28**, 563

Averaging methods; Kinematics; Non-impaired gait **28**, 559

Axis of rotation; Center of rotation; Joint center; Gait analysis; Accuracy **28**, 673

Backpack; Trunk posture; Load carriage; Electromyography; VICON **28**, 297

Balance; Biomechanics; Locomotion; Neuropathy; Reliability **28**, 343

Balance control; Sensory substitution; Vestibular-defective patients; Tongue Display Unit; Centre-of-foot pressure **28**, 711

Balance; Dynamic postural control; Rotating platform **28**, 615

Balance; Force platform; Postural sway; Reliability; Sports injury; Teamgym; Quiet stance **28**, 38

Balance; Functional reach test; Movement strategy; Center of mass; Kinematics **28**, 16

Balance; Gait; Posture; Falls; Motor control; Factor analysis; Functional limitations; Turning; Walking; Lunge; Tandem Walk; Stepping; Turning; Sit-to-Stand **28**, 144

Balance; Multisensory; Perception/action; Optic flow; Gymnastics **28**, 46

Balance; Postural control; Feed-forward; Elderly; Dual task **28**, 62

Balance; Reproducibility of results; Postural balance; Knee; Biodex Stability System; Dynamic balance **28**, 668

Belt speed; Algorithm; Treadmill; Kinematic data; Gait events **28**, 663

Bilateral asymmetry; Able-bodied gait; Impulse **28**, 24

Biodex Stability System; Reproducibility of results; Postural balance; Knee; Balance; Dynamic balance **28**, 668

Biomechanical modelling; Soleus gastrocnemius function; Hip internal rotation; Pelvic retraction; Spastic plantarflexion **28**, 150

Biomechanics; Balance; Locomotion; Neuropathy; Reliability **28**, 343

Biomechanics; Musculoskeletal modelling; Gait; MR **28**, 640

Biomechanics; Spine; Vibration; Walking **28**, 271

Body mass; Anticipatory postural adjustments; Simulated gravity; Human **28**, 538

Body weight support; Treadmill; Gait; Accelerometry **28**, 303

Borg scale; Surface EMG; Myoelectric manifestations of fatigue; Force **28**, 179

Carbon fiber spring; Spina Bifida; Gait analysis; AFO; Orthosis **28**, 175

Cascade juggling; Posture; Facilitation; Variability; APA **28**, 265

Cavoid; Charcot–Marie–Tooth; Foot pain; Pressure **28**, 545

Center of mass; Functional reach test; Movement strategy; Balance; Kinematics **28**, 16

Center of pressure; Aging; Postural control; Reliability **28**, 337

Center of rotation; Axis of rotation; Joint center; Gait analysis; Accuracy **28**, 673

Centre of mass; Stairs; Older adults; Joint moments; Handrails **28**, 327

Centre of pressure; Dynamic balance; Amputees; Rehabilitation **28**, 222

Centre-of-foot pressure; Balance control; Sensory substitution; Vestibular-defective patients; Tongue Display Unit **28**, 711

Cerebral palsy; Accelerometers; Gait **28**, 634

Cerebral palsy; Gait; Visual assessment **28**, 323

Cerebral palsy; Lower limb intra-limb coordination; Gait **28**, 217

Cerebral palsy; Reliability; Children; Gait analysis **28**, 627

Cerebral palsy; Three-dimensional gait analysis; Orthopedic surgery **28**, 316

Cerebrovascular accident; Virtual reality; Community ambulation **28**, 201

Charcot–Marie–Tooth; Cavoid; Foot pain; Pressure **28**, 545

Children; Femoral Anteversion; Tibial Torsion **28**, 187

Children; Pedobarography; Foot pressure; Normal database; Foot pathology **28**, 309

Children; Reliability; Gait analysis; Cerebral palsy **28**, 627

Collision avoidance; Human locomotion; Visually guided; Approaching object **28**, 596

Community ambulation; Virtual reality; Cerebrovascular accident **28**, 201

3D angle; Gait; Inverse dynamics; Joint power; Propulsion or resistance; Stabilization **28**, 243

Data reduction; Gait analysis; Inter-protocol repeatability; Kinematics; Kinetics **28**, 207

Devices; Gait; Treadmill Walking; Rehabilitation **28**, 157

Diabetes; Gait; Reliability **28**, 680

Disability; Rheumatoid arthritis; Foot; Gait analysis; Foot pressure; Impairments **28**, 574

Discomfort; Spine posture; Prolonged standing; Low back pain; EMG; Regression **28**, 86

Down syndrome; Gait; Older adults; Stability; Obstacle **28**, 448

Dual task; Ageing; Reaction time; Attention; Treadmill walking; Foot-ground clearance **28**, 563

Dual task; Balance; Postural control; Feed-forward; Elderly **28**, 62

Duchenne muscular dystrophy; Scoliosis; Lordosis **28**, 108

Dynamic balance; Amputees; Rehabilitation; Centre of pressure **28**, 222

Dynamic balance; Reproducibility of results; Postural balance; Knee; Biodex Stability System; Balance **28**, 668

Dynamic postural control; Balance; Rotating platform **28**, 615

Dynamic simulation; Gait; Muscle work; Musculoskeletal modeling **28**, 135

Elderly; Balance; Postural control; Feed-forward; Dual task **28**, 62

Elderly; Falls; Loss of consciousness; Accelerometer; ADL **28**, 699

Elderly; Independent living; Hip fracture; Movement analysis **28**, 285

Electrical stimulation; Gastrocnemius; Soleus; Gait **28**, 347

Electrogoniometry; Knee kinematics; Repeatability; Function **28**, 292

Electromyography; Backpack; Trunk posture; Load carriage; VICON **28**, 297

EMG; Spine posture; Prolonged standing; Low back pain; Discomfort; Regression **28**, 86

Energy cost; Scoliosis; Orthosis; Gait **28**, 703

Facilitation; Posture; Cascade juggling; Variability; APA **28**, 265

Factor analysis; Gait; Balance; Posture; Falls; Motor control; Functional limitations; Turning; Walking; Lunge; Tandem Walk; Stepping; Turning; Sit-to-Stand **28**, 144

Falls; Gait; Balance; Posture; Motor control; Factor analysis; Functional limitations; Turning; Walking; Lunge; Tandem Walk; Stepping; Turning; Sit-to-Stand **28**, 144

Falls; Gait; Fatigue; Slips and Falls; Slip propensity; Locomotion **28**, 568

Falls; Loss of consciousness; Accelerometer; Elderly; ADL **28**, 699

Fatigue; Gait; Falls; Slips and Falls; Slip propensity; Locomotion **28**, 568

Fatigue; In-shoe measurements; Plantar pressure; Walking **28**, 693

Feed-forward; Balance; Postural control; Elderly; Dual task **28**, 62

Femoral Anteversion; Tibial Torsion; Children **28**, 187

Femur; Ultrasound; Goniometry; Torsion; Tibia **28**, 708

Foam; Postural control; Surface properties; Vision **28**, 649

Foot; Kinematics; Gait; In vivo **28**, 93

Foot; Kinematics; Subtalar neutral; Gait **28**, 29

Foot pain; Charcot–Marie–Tooth; Cavoid; Pressure **28**, 545

Foot pathology; Pedobarography; Foot pressure; Normal database; Children **28**, 309

Foot; Pedar®; In-shoe heel inserts; Pressure **28**, 533

Foot pressure; Pedobarography; Normal database; Foot pathology; Children **28**, 309

Foot pressure; Rheumatoid arthritis; Foot; Gait analysis; Disability; Impairments **28**, 574

Foot; Rheumatoid arthritis; Gait analysis; Foot pressure; Disability; Impairments **28**, 574

Foot-ground clearance; Ageing; Reaction time; Attention; Dual task; Treadmill walking **28**, 563

Force matching; Proprioception; Muscle fatigue; Ankle **28**, 521

Force platform; Balance; Postural sway; Reliability; Sports injury; Teamgym; Quiet stance **28**, 38

Force; Surface EMG; Myoelectric manifestations of fatigue; Borg scale **28**, 179

Function; Electrogoniometry; Knee kinematics; Repeatability **28**, 292

Functional limitations; Gait; Balance; Posture; Falls; Motor control; Factor analysis; Turning; Walking; Lunge; Tandem Walk; Stepping; Turning; Sit-to-Stand **28**, 144

Functional method; Knee kinematics; Validation; Reliability; Gait; Marker attachment system **28**, 170

Functional reach test; Movement strategy; Center of mass; Balance; Kinematics **28**, 16

Gait; Accelerometers; Cerebral palsy **28**, 634

Gait; Amputees; Rehabilitation; Prosthetics **28**, 235

Gait analysis; Center of rotation; Axis of rotation; Joint center; Accuracy **28**, 673

Gait analysis; HAQ; Kinematics; Kinetics; Levels of functional disability **28**, 229

Gait analysis; Hip replacement; Kinematics; Long-term follow-up **28**, 194

Gait analysis; Inter-protocol repeatability; Kinematics; Kinetics; Data reduction **28**, 207

Gait analysis; Motion sensors; Kinemtaic prediction; Neural network **28**, 120

Gait analysis; Reliability; Children; Cerebral palsy **28**, 627

Gait analysis; Rheumatoid arthritis; Foot; Foot pressure; Disability; Impairments **28**, 574

Gait analysis; Spina Bifida; AFO; Carbon fiber spring; Orthosis **28**, 175

Gait; Balance; Posture; Falls; Motor control; Factor analysis; Functional limitations; Turning; Walking; Lunge; Tandem Walk; Stepping; Turning; Sit-to-Stand **28**, 144

Gait; Cerebral palsy; Visual assessment **28**, 323

Gait; Diabetes; Reliability **28**, 680

Gait; Down syndrome; Older adults; Stability; Obstacle **28**, 448

Gait; Electrical stimulation; Gastrocnemius; Soleus **28**, 347

Gait; Energy cost; Scoliosis; Orthosis **28**, 703

Gait events; Belt speed; Algorithm; Treadmill; Kinematic data **28**, 663

Gait; Falls; Fatigue; Slips and Falls; Slip propensity; Locomotion **28**, 568

Gait; Foot; Kinematics; In vivo **28**, 93

Gait; Foot; Kinematics; Subtalar neutral **28**, 29

Gait initiation; Postural stability; Obesity; Adolescent; Locomotion **28**, 164

Gait; Inverse dynamics; Joint power; 3D angle; Propulsion or resistance; Stabilization **28**, 243

Gait; Joint replacement; Knee; Ground reaction force; Symmetry **28**, 69

Gait; Knee kinematics; Functional method; Validation; Reliability; Marker attachment system **28**, 170

Gait; Lower limb intra-limb coordination; Cerebral palsy **28**, 217

Gait; Minimum toe clearance; Ageing; Kinematics; Joint angles **28**, 101

Gait; Muscle work; Musculoskeletal modeling; Dynamic simulation **28**, 135

Gait; Musculoskeletal modelling; MR; Biomechanics **28**, 640

Gait; Simulated knee flexion contracture; Trunk kinematics; Standing; Knee-spine syndrome **28**, 687

Gait; Trans-tibial amputee; Knee; Kinetics; Prosthesis; Motor control **28**, 278

Gait; Treadmill; Body weight support; Accelerometry **28**, 303

Gait; Treadmill Walking; Rehabilitation; Devices **28**, 157

Gastrocnemius; Electrical stimulation; Soleus; Gait **28**, 347

Goniometry; Ultrasound; Torsion; Tibia; Femur **28**, 708

Ground reaction force; Gait; Joint replacement; Knee; Symmetry **28**, 69

Ground reaction force impulse; Joint kinetics; Propulsion; Transtibial amputee **28**, 602

Gymnastics; Balance; Multisensory; Perception/action; Optic flow **28**, 46

Handrails; Stairs; Older adults; Centre of mass; Joint moments **28**, 327

HAQ; Gait analysis; Kinematics; Kinetics; Levels of functional disability **28**, 229

Hemiplegia; Sit to stand; Kinematics; Kinetics; Rehabilitation **28**, 80

Hip fracture; Elderly; Independent living; Movement analysis **28**, 285

Hip internal rotation; Soleus gastrocnemius function; Biomechanical modelling; Pelvic retraction; Spastic plantarflexion **28**, 150

Hip joint moment; Acetabular dysplasia; Ambulatory training **28**, 52

Hip; Physical activity assessment; Mobility; Preoperatively; Osteoarthritis; Knee **28**, 74

Hip replacement; Gait analysis; Kinematics; Long-term follow-up **28**, 194

Human; Anticipatory postural adjustments; Simulated gravity; Body mass **28**, 538

Human locomotion; Collision avoidance; Visually guided; Approaching object **28**, 596

Impairments; Rheumatoid arthritis; Foot; Gait analysis; Foot pressure; Disability **28**, 574

Impulse; Able-bodied gait; Bilateral asymmetry **28**, 24

In vivo; Foot; Kinematics; Gait **28**, 93

Independent living; Elderly; Hip fracture; Movement analysis **28**, 285

Inertial and magnetic sensing; Movement analysis; Anatomical calibration; Anatomical frame definition; Joint angular kinematics; Wearable devices **28**, 588

In-shoe heel inserts; Pedar®; Foot; Pressure **28**, 533

In-shoe measurements; Plantar pressure; Fatigue; Walking **28**, 693

Inter-protocol repeatability; Gait analysis; Kinematics; Kinetics; Data reduction **28**, 207

Inverse dynamics; Gait; Joint power; 3D angle; Propulsion or resistance; Stabilization **28**, 243

Joint angles; Minimum toe clearance; Ageing; Kinematics; Gait **28**, 101

Joint angular kinematics; Movement analysis; Anatomical calibration; Anatomical frame definition; Wearable devices; Inertial and magnetic sensing **28**, 588

Joint center; Center of rotation; Axis of rotation; Gait analysis; Accuracy **28**, 673

Joint kinetics; Ground reaction force impulse; Propulsion; Transtibial amputee **28**, 602

Joint moment; Low back load; Patient-handling tasks **28**, 258

Joint moments; Stairs; Older adults; Centre of mass; Handrails **28**, 327

Joint power; Gait; Inverse dynamics; 3D angle; Propulsion or resistance; Stabilization **28**, 243

Joint replacement; Gait; Knee; Ground reaction force; Symmetry **28**, 69

Kinematic data; Belt speed; Algorithm; Treadmill; Gait events **28**, 663

Kinematics; Averaging methods; Non-impaired gait **28**, 559

Kinematics; Foot; Gait; In vivo **28**, 93

Kinematics; Foot; Subtalar neutral; Gait **28**, 29

Kinematics; Functional reach test; Movement strategy; Center of mass; Balance **28**, 16

Kinematics; Gait analysis; HAQ; Kinetics; Levels of functional disability **28**, 229

Kinematics; Gait analysis; Inter-protocol repeatability; Kinetics; Data reduction **28**, 207

Kinematics; Hip replacement; Gait analysis; Long-term follow-up **28**, 194

Kinematics; Minimum toe clearance; Ageing; Joint angles; Gait **28**, 101

Kinematics; Sit to stand; Kinetics; Hemiplegia; Rehabilitation **28**, 80

Kinematics; Sitting position; Lumbar–pelvic coordination; Normal population **28**, 251

Kinemtaic prediction; Gait analysis; Motion sensors; Neural network **28**, 120

Kinetics; Gait analysis; HAQ; Kinematics; Levels of functional disability **28**, 229

Kinetics; Gait analysis; Inter-protocol repeatability; Kinematics; Data reduction **28**, 207

Kinetics; Sit to stand; Kinematics; Hemiplegia; Rehabilitation **28**, 80

Kinetics; Trans-tibial amputee; Knee; Gait; Prosthesis; Motor control **28**, 278

Knee; Anterior cruciate ligament; Proprioception; Threshold to detect passive motion **28**, 610

Knee; Gait; Joint replacement; Ground reaction force; Symmetry **28**, 69

Knee kinematics; Electrogoniometry; Repeatability; Function **28**, 292

Knee kinematics; Functional method; Validation; Reliability; Gait; Marker attachment system **28**, 170

Knee; Physical activity assessment; Mobility; Preoperatively; Osteoarthritis; Hip **28**, 74

Knee; Reproducibility of results; Postural balance; Biodex Stability System; Balance; Dynamic balance **28**, 668

Knee; Trans-tibial amputee; Kinetics; Gait; Prosthesis; Motor control **28**, 278

Knee-spine syndrome; Simulated knee flexion contracture; Trunk kinematics; Standing; Gait **28**, 687

Levels of functional disability; Gait analysis; HAQ; Kinematics; Kinetics **28**, 229

Load carriage; Backpack; Trunk posture; Electromyography; VICON **28**, 297

Locomotion; Acceleration; Posture; Stability **28**, 1

Locomotion; Balance; Biomechanics; Neuropathy; Reliability **28**, 343

Locomotion; Gait; Falls; Fatigue; Slips and Falls; Slip propensity **28**, 568

Locomotion; Gait initiation; Postural stability; Obesity; Adolescent **28**, 164

Long-term follow-up; Hip replacement; Gait analysis; Kinematics **28**, 194

Lordosis; Duchenne muscular dystrophy; Scoliosis **28**, 108

Loss of consciousness; Falls; Accelerometer; Elderly; ADL **28**, 699

Low back load; Joint moment; Patient-handling tasks **28**, 258

Low back pain; Proprioception; Postural balance; Subjective vertical **28**, 657

Low back pain; Spine posture; Prolonged standing; Discomfort; EMG; Regression **28**, 86

Lower limb intra-limb coordination; Gait; Cerebral palsy **28**, 217

Lumbar–pelvic coordination; Sitting position; Kinematics; Normal population **28**, 251

Lunge; Gait; Balance; Posture; Falls; Motor control; Factor analysis; Functional limitations; Turning; Walking; Tandem Walk; Stepping; Turning; Sit-to-Stand **28**, 144

Marker attachment system; Knee kinematics; Functional method; Validation; Reliability; Gait **28**, 170

Minimum toe clearance; Ageing; Kinematics; Joint angles; Gait **28**, 101

Mobility; Physical activity assessment; Preoperatively; Osteoarthritis; Hip; Knee **28**, 74

Motion sensors; Gait analysis; Kinemtaic prediction; Neural network **28**, 120

Motor control; Gait; Balance; Posture; Falls; Factor analysis; Functional limitations; Turning; Walking; Lunge; Tandem Walk; Stepping; Turning; Sit-to-Stand **28**, 144

Motor control; Trans-tibial amputee; Knee; Kinetics; Gait; Prosthesis **28**, 278

Movement analysis; Anatomical calibration; Anatomical frame definition; Joint angular kinematics; Wearable devices; Inertial and magnetic sensing **28**, 588

Movement analysis; Elderly; Independent living; Hip fracture **28**, 285

Movement strategy; Functional reach test; Center of mass; Balance; Kinematics **28**, 16

MR; Musculoskeletal modelling; Gait; Biomechanics **28**, 640

Multisensory; Balance; Perception/action; Optic flow; Gymnastics **28**, 46

Muscle fatigue; Proprioception; Force matching; Ankle **28**, 521

Muscle work; Gait; Musculoskeletal modeling; Dynamic simulation **28**, 135

Musculoskeletal modeling; Gait; Muscle work; Dynamic simulation **28**, 135

Musculoskeletal modelling; Gait; MR; Biomechanics **28**, 640

Myoelectric manifestations of fatigue; Surface EMG; Force; Borg scale **28**, 179

Neck pain; Postural control; Acute whiplash; Neck proprioception **28**, 113

Neck proprioception; Postural control; Acute whiplash; Neck pain **28**, 113

Neural network; Gait analysis; Motion sensors; Kinemtaic prediction **28**, 120

Neuropathy; Balance; Biomechanics; Locomotion; Reliability **28**, 343

Non-impaired gait; Kinematics; Averaging methods **28**, 559

Normal database; Pedobarography; Foot pressure; Foot pathology; Children **28**, 309

Normal population; Sitting position; Lumbar–pelvic coordination; Kinematics **28**, 251

Obesity; Gait initiation; Postural stability; Adolescent; Locomotion **28**, 164

Obstacle; Gait; Down syndrome; Older adults; Stability **28**, 448

Older adults; Gait; Down syndrome; Stability; Obstacle **28**, 448

Older adults; Stairs; Centre of mass; Joint moments; Handrails **28**, 327

Optic flow; Balance; Multisensory; Perception/action; Gymnastics **28**, 46

Orientation; Virtual environment; Posture; Visual dependence **28**, 127

Orthopedic surgery; Cerebral palsy; Three-dimensional gait analysis **28**, 316

Orthosis; Energy cost; Scoliosis; Gait **28**, 703

Orthosis; Spina Bifida; Gait analysis; AFO; Carbon fiber spring **28**, 175

Osteoarthritis; Physical activity assessment; Mobility; Preoperatively; Hip; Knee **28**, 74

Outcome evaluation; Accelerometers and gyroscopes; Upper-limbs activity; Ambulatory system **28**, 581

Patient-handling tasks; Low back load; Joint moment **28**, 258

Pedar®; In-shoe heel inserts; Foot; Pressure **28**, 533

Pedobarography; Foot pressure; Normal database; Foot pathology; Children **28**, 309

Pelvic retraction; Soleus gastrocnemius function; Biomechanical modelling; Hip internal rotation; Spastic plantarflexion **28**, 150

Perception/action; Balance; Multisensory; Optic flow; Gymnastics **28**, 46

Physical activity assessment; Mobility; Preoperatively; Osteoarthritis; Hip; Knee **28**, 74

Plantar pressure; In-shoe measurements; Fatigue; Walking **28**, 693

Plantar surface; Somatosensory disorders; Unsteadiness; Vibrometer; Posturography **28**, 552

Postural balance; Proprioception; Subjective vertical; Low back pain **28**, 657

Postural balance; Reproducibility of results; Knee; Biodex Stability System; Balance; Dynamic balance **28**, 668

Postural control; Acute whiplash; Neck proprioception; Neck pain **28**, 113

Postural control; Balance; Feed-forward; Elderly; Dual task **28**, 62

Postural control; Center of pressure; Aging; Reliability **28**, 337

Postural control; Foam; Surface properties; Vision **28**, 649

Postural stability; Gait initiation; Obesity; Adolescent; Locomotion **28**, 164

Postural stability; Visual impairment; Sensory information **28**, 58

Postural sway; Balance; Force platform; Reliability; Sports injury; Teamgym; Quiet stance **28**, 38

Posture; Acceleration; Locomotion; Stability **28**, 1

Posture; Cascade juggling; Facilitation; Variability; APA **28**, 265

Posture; Gait; Balance; Falls; Motor control; Factor analysis; Functional limitations; Turning; Walking; Lunge; Tandem Walk; Stepping; Turning; Sit-to-Stand **28**, 144

Posture; Orientation; Virtual environment; Visual dependence **28**, 127

Posturography; Somatosensory disorders; Unsteadiness; Plantar surface; Vibrometer **28**, 552

Preoperatively; Physical activity assessment; Mobility; Osteoarthritis; Hip; Knee **28**, 74

Pressure; Charcot–Marie–Tooth; Cavoid; Foot pain **28**, 545

Pressure; Pedar®; In-shoe heel inserts; Foot **28**, 533

Prolonged standing; Spine posture; Low back pain; Discomfort; EMG; Regression **28**, 86

Proprioception; Anterior cruciate ligament; Knee; Threshold to detect passive motion **28**, 610

Proprioception; Muscle fatigue; Force matching; Ankle **28**, 521

Proprioception; Postural balance; Subjective vertical; Low back pain **28**, 657

Propulsion; Ground reaction force impulse; Joint kinetics; Transtibial amputee **28**, 602

Propulsion or resistance; Gait; Inverse dynamics; Joint power; 3D angle; Stabilization **28**, 243

Prosthesis; Trans-tibial amputee; Knee; Kinetics; Gait; Motor control **28**, 278

Prosthetics; Gait; Amputees; Rehabilitation **28**, 235

Quiet stance; Balance; Force platform; Postural sway; Reliability; Sports injury; Teamgym **28**, 38

Reaction time; Ageing; Attention; Dual task; Treadmill walking; Foot-ground clearance **28**, 563

Regression; Spine posture; Prolonged standing; Low back pain; Discomfort; EMG **28**, 86

Rehabilitation; Dynamic balance; Amputees; Centre of pressure **28**, 222

Rehabilitation; Gait; Amputees; Prosthetics **28**, 235

Rehabilitation; Gait; Treadmill Walking; Devices **28**, 157

Rehabilitation; Sit to stand; Kinematics; Kinetics; Hemiplegia **28**, 80

Reliability; Balance; Biomechanics; Locomotion; Neuropathy **28**, 343

Reliability; Balance; Force platform; Postural sway; Sports injury; Teamgym; Quiet stance **28**, 38

Reliability; Center of pressure; Aging; Postural control **28**, 337

Reliability; Children; Gait analysis; Cerebral palsy **28**, 627

Reliability; Diabetes; Gait **28**, 680

Reliability; Knee kinematics; Functional method; Validation; Gait; Marker attachment system **28**, 170

Repeatability; Electrogoniometry; Knee kinematics; Function **28**, 292

Reproducibility of results; Postural balance; Knee; Biodex Stability System; Balance; Dynamic balance **28**, 668

Rheumatoid arthritis; Foot; Gait analysis; Foot pressure; Disability; Impairments **28**, 574

Rotating platform; Balance; Dynamic postural control **28**, 615

Scoliosis; Duchenne muscular dystrophy; Lordosis **28**, 108

Scoliosis; Energy cost; Orthosis; Gait **28**, 703

Sensory information; Postural stability; Visual impairment **28**, 58

Sensory substitution; Balance control; Vestibular-defective patients; Tongue Display Unit; Centre-of-foot pressure **28**, 711

Simulated gravity; Anticipatory postural adjustments; Body mass; Human **28**, 538

Simulated knee flexion contracture; Trunk kinematics; Standing; Gait; Knee-spine syndrome **28**, 687

Sit to stand; Kinematics; Kinetics; Hemiplegia; Rehabilitation **28**, 80

Sitting position; Lumbar–pelvic coordination; Kinematics; Normal population **28**, 251

Sit-to-Stand; Gait; Balance; Posture; Falls; Motor control; Factor analysis; Functional limitations; Turning; Walking; Lunge; Tandem Walk; Stepping; Turning **28**, 144

Slip propensity; Gait; Falls; Fatigue; Slips and Falls; Locomotion **28**, 568

Slips and Falls; Gait; Falls; Fatigue; Slip propensity; Locomotion **28**, 568

Soleus; Electrical stimulation; Gastrocnemius; Gait **28**, 347

Soleus gastrocnemius function; Biomechanical modelling; Hip internal rotation; Pelvic retraction; Spastic plantarflexion **28**, 150

Somatosensory disorders; Unsteadiness; Plantar surface; Vibrometer; Posturography **28**, 552

Spastic plantarflexion; Soleus gastrocnemius function; Biomechanical modelling; Hip internal rotation; Pelvic retraction **28**, 150

Spina Bifida; Gait analysis; AFO; Carbon fiber spring; Orthosis **28**, 175

Spine; Biomechanics; Vibration; Walking **28**, 271

Spine posture; Prolonged standing; Low back pain; Discomfort; EMG; Regression **28**, 86

Sports injury; Balance; Force platform; Postural sway; Reliability; Teamgym; Quiet stance **28**, 38

Stability; Acceleration; Locomotion; Posture **28**, 1

Stability; Gait; Down syndrome; Older adults; Obstacle **28**, 448

Stabilization; Gait; Inverse dynamics; Joint power; 3D angle; Propulsion or resistance **28**, 243

Stairs; Older adults; Centre of mass; Joint moments; Handrails **28**, 327

Standing; Simulated knee flexion contracture; Trunk kinematics; Gait; Knee-spine syndrome **28**, 687

Stepping; Gait; Balance; Posture; Falls; Motor control; Factor analysis; Functional limitations; Turning; Walking; Lunge; Tandem Walk; Turning; Sit-to-Stand **28**, 144

Subjective vertical; Proprioception; Postural balance; Low back pain **28**, 657

Subtalar neutral; Foot; Kinematics; Gait **28**, 29

Surface EMG; Myoelectric manifestations of fatigue; Force; Borg scale **28**, 179

Surface properties; Postural control; Foam; Vision **28**, 649

Symmetry; Gait; Joint replacement; Knee; Ground reaction force **28**, 69

Tandem Walk; Gait; Balance; Posture; Falls; Motor control; Factor analysis; Functional limitations; Turning; Walking; Lunge; Stepping; Turning; Sit-to-Stand **28**, 144

Teamgym; Balance; Force platform; Postural sway; Reliability; Sports injury; Quiet stance **28**, 38

Three-dimensional gait analysis; Cerebral palsy; Orthopedic surgery **28**, 316

Threshold to detect passive motion; Anterior cruciate ligament; Proprioception; Knee **28**, 610

Tibia; Ultrasound; Goniometry; Torsion; Femur **28**, 708

Tibial Torsion; Femoral Anteversion; Children **28**, 187

Tongue Display Unit; Balance control; Sensory substitution; Vestibular-defective patients; Centre-of-foot pressure **28**, 711

Torsion; Ultrasound; Goniometry; Tibia; Femur **28**, 708

Transtibial amputee; Ground reaction force impulse; Joint kinetics; Propulsion **28**, 602

Trans-tibial amputee; Knee; Kinetics; Gait; Prosthesis; Motor control **28**, 278

Treadmill; Belt speed; Algorithm; Kinematic data; Gait events **28**, 663

Treadmill; Body weight support; Gait; Accelerometry **28**, 303

Treadmill walking; Ageing; Reaction time; Attention; Dual task; Foot-ground clearance **28**, 563

Treadmill Walking; Gait; Rehabilitation; Devices **28**, 157

Trunk kinematics; Simulated knee flexion contracture; Standing; Gait; Knee-spine syndrome **28**, 687

Trunk posture; Backpack; Load carriage; Electromyography; VICON **28**, 297

Turning; Gait; Balance; Posture; Falls; Motor control; Factor analysis; Functional limitations; Turning; Walking; Lunge; Tandem Walk; Stepping; Sit-to-Stand **28**, 144

Turning; Gait; Balance; Posture; Falls; Motor control; Factor analysis; Functional limitations; Walking; Lunge; Tandem Walk; Stepping; Turning; Sit-to-Stand **28**, 144

Ultrasound; Goniometry; Torsion; Tibia; Femur **28**, 708

Unsteadiness; Somatosensory disorders; Plantar surface; Vibrometer; Posturography **28**, 552

Upper-limbs activity; Outcome evaluation; Accelerometers and gyroscopes; Ambulatory system **28**, 581

Validation; Knee kinematics; Functional method; Reliability; Gait; Marker attachment system **28**, 170

Variability; Posture; Cascade juggling; Facilitation; APA **28**, 265

Vestibular-defective patients; Balance control; Sensory substitution; Tongue Display Unit; Centre-of-foot pressure **28**, 711

Vibration; Biomechanics; Spine; Walking **28**, 271

Vibrometer; Somatosensory disorders; Unsteadiness; Plantar surface; Posturography **28**, 552

VICON; Backpack; Trunk posture; Load carriage; Electromyography **28**, 297

Virtual environment; Orientation; Posture; Visual dependence **28**, 127

Virtual reality; Community ambulation; Cerebrovascular accident **28**, 201

Vision; Postural control; Foam; Surface properties **28**, 649

Visual assessment; Gait; Cerebral palsy **28**, 323

Visual dependence; Orientation; Virtual environment; Posture **28**, 127

Visual impairment; Postural stability; Sensory information **28**, 58

Visually guided; Collision avoidance; Human locomotion; Approaching object **28**, 596

Walking; Biomechanics; Spine; Vibration **28**, 271

Walking; Gait; Balance; Posture; Falls; Motor control; Factor analysis; Functional limitations; Turning; Lunge; Tandem Walk; Stepping; Turning; Sit-to-Stand **28**, 144

Walking; In-shoe measurements; Plantar pressure; Fatigue **28**, 693

Wearable devices; Movement analysis; Anatomical calibration; Anatomical frame definition; Joint angular kinematics; Inertial and magnetic sensing **28**, 588